

5G MiFi

MF-200

Portable Broadband Wireless Device



Overview

MF-200 5G MiFi is a portable, broadband wireless device that functions as a modem, router and access point all in one.

An internal modem can access a single wireless signal, and an internal router can share the connection between multiple users and wireless devices.

Support for multiple users at the same time, including digital cameras, laptops, games and multimedia players, all Wi-Fi-enabled devices can access the Internet. 5G MiFi can be used to set up specific networks and share network connections anywhere via cellular connections.

Plug in a 5G SIM card and convert the 5G signal to high-speed Wi-Fi so that non-5G devices can also enjoy 5G high-speed.

Features



- 5G Sub-6 SA/NSA
- 5G NR SA:
(DL/UL) 2.1Gbps/900Mbps
- 5G NR NSA:
(DL/UL) 4.1Gbps/660Mbps



- Wi-Fi 6
- 802.11 a/b/g/n/ac/ax
- DBDC AX1800



- Quick Charge 3.0
- Li-ion Battery 5000mAh




- TFT LCD
- 2.4 inch touch screen

Appearance |



Note: the battery is non-removable.


Application Scenarios |



Business Trip



Entertainment



Outdoor Office



Conference

Specification

Basic Information		
	Form Factor	Mobile Wi-Fi
	Dimension	about 130*70*19.5mm
	Weight	about 200g
	Color	Black& blue
Air Interface	Technical Standard	5G/4G/3G 802.11 a/b/g/n/ac/ax
	Frequency	5G NR Sub-6G: N1/N3/N5/N7/N8/N20/N28/N38/N40/N41/N77/N78/N79; LTE-FDD: B1/B3/B5/B7/B8/B20/B28/B32 LTE-TDD: B38/39/B40/B41/B42/B43/B46 WCDMA: B1/B3/B5/B8
	Wi-Fi	2.4G&5G: Wi-Fi 2*2 MIMO 802.11 a/b/g/n/ac/ax DBDC AX1800
Performance	Maximum Data Throughput	5G NR SA: (DL/UL) 2.1Gbps/900Mbps 5G NR NSA: (DL/UL) 4.1Gbps/660Mbps LTE: (DL/UL) 2.0Gbps/210Mbps
Hardware	Receive Diversity	Support Receive Diversity
	MIMO	Support DL 4x4 MIMO
	BB Chipset	Qualcomm SDx55
	Wi-Fi Chipset	QCA6391
	Memory	4Gb+4Gb
	USB Charging	Type-C
	USIM/SIM	4FF SIM card Support SIM/USIM/UIM, standard 6 PIN SIM card interface, support 3V SIM card and 1.8V SIM card: internal
	Battery	Li-ion Battery 5000mAh
	Charging time	about 3H
	Working time	about 10H
	LCD	TFT LCD 2.4inch touch screen
	USB	Type-C, Charge & internet
	Antenna	5G+4G: 6 antennas Wi-Fi: 2 antennas
	Buttons	POWER, Reset
	IP RATING	NA
	ESD	ESD Protection circuit, Contact ± 8 KV, Air ± 10 KV
	Operating Temperature	Normal: 0°C ~ +45°C
Environment	Storage Temperature	-20°C ~ +70°C
	Humidity	5% ~ 95%